
Asthma Policy



Help for non-English speakers

If you need help to understand the information in this policy please contact your child's House Admin Assistant or their Mentor Teacher.

PURPOSE

To ensure that Blackburn High School appropriately supports students diagnosed with asthma.

OBJECTIVE

To explain to Blackburn High School parents/carers, staff and students the processes and procedures in place to support students diagnosed with asthma.

SCOPE

This policy applies to:

- all staff, including casual relief staff, contractors and volunteers
- all students who have been diagnosed with asthma or who may require emergency treatment for asthma and their parents/carers.

POLICY

Asthma

Asthma is a long term lung condition. People with asthma have sensitive airways in their lungs which react to triggers, causing a 'flare-up'. In a flare-up, the muscles around the airway squeeze tight, the airways swell and become narrow and there is more mucus. This makes it hard to breathe. An asthma flare-up can come on slowly (over hours, days or even weeks) or very quickly (over minutes). A sudden or severe asthma flare-up is sometimes called an asthma attack.

Symptoms

Symptoms of asthma can vary over time and often vary from person to person. The most common asthma symptoms are:

- breathlessness
- wheezing (a whistling noise from the chest)
- tight feeling in the chest
- persistent cough

Symptoms often occur at night, early in the morning or during/just after physical activity. If asthma is well controlled, a person should only have occasional asthma symptoms.

Triggers

A trigger is something that sets off or starts asthma symptoms. Everyone with asthma has different triggers. For most people with asthma, triggers are only a problem when asthma is not well controlled with medication. Common asthma triggers include:

- exercise
- smoke (cigarette smoke, wood smoke from open fires, burn-offs or bushfires)
- house dust mites
- pollens
- chemicals such as household cleaning products
- food chemicals/additives
- laughter or emotions, such as stress
- colds/flu
- weather changes such as thunderstorms and cold, dry air
- moulds
- animals such as cats and dogs
- deodorants (including perfumes, after-shaves, hair spray and aerosol deodorant sprays)
- certain medications (including aspirin and anti-inflammatories)

Asthma management

If a student diagnosed with asthma enrolls at Blackburn High School:

1. Parents/carers must provide the school with an Asthma Action Plan which has been completed by the student's medical practitioner. The plan must outline:
 - the prescribed medication taken by the student and when it is to be administered, for example as a pre-medication to exercise or on a regular basis
 - emergency contact details
 - the contact details of the student's medical practitioner
 - the student's known triggers
 - the emergency procedures to be taken in the event of an asthma flare-up or attack.
2. Parents/carers should also provide a photo of the student to be included as part of the student's Asthma Action Plan.
3. Blackburn High School will keep all Asthma Action Plans:
 - In the Nurse's Office (First Aid)
 - House Admin Offices
 - Staffroom
4. School staff may also work with parents/carers to develop a Student Health Support Plan which will include details on:
 - how the school will provide support for the student
 - identify specific strategies
 - allocate staff to assist the student

Any Student Health Support Plan will be developed in accordance with Blackburn High School's Healthcare Needs Policy.

5. If a student diagnosed with asthma is going to attend a school camp or excursion, Example School parents/carers are required to provide any updated medical information.
6. If a student's asthma condition or treatment requirements change, parent/carers must notify the school and provide an updated Asthma Action Plan.
7. School staff will work with parents/carers to review Asthma Action Plans (and Student Health Support Plans) once a year.

Student asthma kit

All students diagnosed with asthma are required to have a student asthma kit at school which contains:

- their own prescribed reliever medication labelled with the student's name
- their spacer (if they use one)

Student asthma kits will be stored in the First Aid office with the School Nurse and some students will be required to keep their asthma kits with them while at school.

Asthma emergency response plan

If a student is:

- having an asthma attack
- difficulty breathing for an unknown cause, even if they are not known to have asthma

School staff will endeavour to follow the Asthma First Aid procedures outlined in the table below. School staff may contact Triple Zero "000" at any time.

Step	Action
1.	Sit the person upright <ul style="list-style-type: none"> • Be calm and reassuring • Do not leave them alone • Seek assistance from another staff member or reliable student to locate the student's reliever, the Asthma Emergency Kit and the student's Asthma Action Plan (if available). • If the student's action plan is not immediately available, use the Asthma First Aid as described in Steps 2 to 5.
2.	Give 4 separate puffs of blue or blue/grey reliever puffer: <ul style="list-style-type: none"> • Shake the puffer • Use a spacer if you have one • Put 1 puff into the spacer • Take 4 breaths from the spacer Remember – Shake, 1 puff, 4 breaths
3.	Wait 4 minutes <ul style="list-style-type: none"> • If there is no improvement, give 4 more separate puffs of blue/grey reliever as above (or give 1 more dose of Bricanyl or Symbicort inhaler)
4.	If there is still no improvement call Triple Zero "000" and ask for an ambulance. <ul style="list-style-type: none"> • Tell the operator the student is having an asthma attack • Keep giving 4 separate puffs every 4 minutes until emergency assistance arrives (or 1 dose of Bricanyl or Symbicort every 4 minutes – up to 3 doses of Symbicort)

5.	If asthma is relieved after administering Asthma First Aid, stop the treatment and observe the student. Notify the student's emergency contact person and record the incident
----	---

Staff will call Triple Zero "000" immediately if:

- the person is not breathing
- if the person's asthma suddenly becomes worse or is not improving
- if the person is having an asthma attack and a reliever is not available
- if they are not sure if it is asthma
- if the person is known to have anaphylaxis

Training for staff

Blackburn High School will arrange the following asthma management training for staff:

Staff	Completed by	Course	Provider	Cost	Valid for
Group 1 General Staff	School staff with a direct teaching role with students affected by asthma or other school staff directed by the Principal after conducting a risk assessment.	Asthma first aid management for education staff (non-accredited) One hour face-to-face or online training.	Asthma Australia	Free to all schools	3 years
Group 2 Specific Staff	Staff working with high risk children with a history of severe asthma, or with direct student wellbeing responsibility, (including nurses, PE/sport teachers, first aid and school staff attending camp)	<i>Course in Asthma Awareness 10760NAT</i> <i>OR</i> <i>Course in the management of Asthma Risks and Emergencies in the Workplace 22556VIC</i> (accredited)	Any RTO that has this course in their scope of practice	Paid by Blackburn High School	3 years

Blackburn High School will also conduct an annual briefing for staff on:

- the procedures outlined in this policy
- the causes, symptoms and treatment of asthma
- identities of the students diagnosed with asthma
- how to use a puffer and spacer

- the location of:
 - the Asthma Emergency Kits
 - asthma medication which has been provided by parents for student use.

Blackburn High School will also provide this policy to casual relief staff and volunteers who will be working with students, and may also provide a briefing if the Principal decides it is necessary depending on the nature of the work being performed.

Asthma Emergency Kit

Blackburn High School will provide and maintain at least two Asthma Emergency Kits. One kit will be kept on school premises in the First Aid office and one will be a mobile kit for activities such as:

- yard duty
- camps and excursions.

Blackburn High School has additional kits (for every 300 students) in each of the House Admin offices.

The Asthma Emergency Kit will contain:

- at least 1 blue or blue/grey reliever medication such as Airomir, Admol or Ventolin
- at least 2 spacer devices (for single person use only) to assist with effective inhalation of the blue or blue/grey reliever medication (Blackburn High School will ensure spare spacers are available as replacements). Spacers will be stored in a dust proof container.
- clear written instructions on Asthma First Aid, including:
 - how to use the medication and spacer devices
 - steps to be taken in treating an asthma attack
- A record sheet/log for recording the details of an asthma first aid incident, such as the number of puffs administered.

The School Nurse will monitor and maintain the Asthma Emergency Kits. They will:

- ensure all contents are maintained and replaced where necessary
- regularly check the expiry date on the canisters of the blue or blue/grey reliever puffers and place them if they have expired or a low on doses
- replace spacers in the Kits after each use (spacers are single-person use only)
- dispose of any previously used spaces.

The blue or blue/grey reliever medication in the Asthma Emergency Kits may be used by more than one student as long as they are used with a spacer. If the devices come into contact with someone's mouth, they will not be used again and will be replaced.

After each use of a blue or blue/grey reliever (with a spacer):

- remove the metal canister from the puffer (do not wash the canister)
- wash the plastic casing
- rinse the mouthpiece through the top and bottom under running water for at least 30 seconds
- wash the mouthpiece cover

- air dry then reassemble
- test the puffer to make sure no water remains in it, then return to the Asthma Emergency Kit.

Management of confidential medical information

Confidential medical information provided to Blackburn High School to support a student diagnosed with asthma will be:

- recorded on the student's file
- shared with all relevant staff so that they are able to properly support students diagnosed with asthma and respond appropriately if necessary.

Communication plan

This policy will be available on Blackburn High School's website so that parents and other members of the school community can easily access information about Blackburn High School's asthma management procedures.

Epidemic Thunderstorm Asthma

Blackburn High School will be prepared to act on the warnings and advice from the Department of Education and Training when the risk of epidemic thunderstorm asthma is forecast as high.

COMMUNICATION

This policy will be communicated to our school community in the following ways:

- Available publicly on our school's website
- Included in staff induction processes and staff training
- Included in staff handbook/manual
- Discussed at annual staff briefings/meetings
- Included in transition and enrolment packs
- Discussed at parent information nights/sessions
- Hard copy available from school administration upon request

FURTHER INFORMATION AND RESOURCES

- Asthma Australia: [Resources for schools](#)
- Policy and Advisory Library:
 - [Asthma](#)
 - [Treating an asthma attack](#)
- BHS Health Care Needs Policy
- BHS Administration of Medication Policy

Date implemented	August 2021
Author	DET
Approval Authority	
Principal:	 Date: 6/30/21
School Council President:	 Date: 17/9/21
Review Date	August 2022
References	

ASTHMA CARE PLAN FOR EDUCATION AND CARE SERVICES

CONFIDENTIAL: Staff are trained in asthma first aid (see overleaf) and can provide routine asthma medication as authorised in this care plan by the treating doctor. Please advise staff in writing of any changes to this plan.

PHOTO OF STUDENT
(OPTIONAL)

To be completed by the treating doctor and parent/guardian, for supervising staff and emergency medical personnel.

PLEASE PRINT CLEARLY

Plan date
___/___/20__

Review date
___/___/20__

Student's name: _____ DOB: _____

MANAGING AN ASTHMA ATTACK

Staff are trained in asthma first aid (see overleaf). Please write down anything different this student might need if they have an asthma attack:

DAILY ASTHMA MANAGEMENT

This student's usual asthma signs:

- Cough
- Wheeze
- Difficulty breathing
- Other (please describe): _____

Frequency and severity:

- Daily/most days
- Frequently (more than 5 x per year)
- Occasionally (less than 5 x per year)
- Other (please describe) _____

Known triggers for this student's asthma (e.g. exercise*, colds/flu, smoke) — please detail:

- Does this student usually tell an adult if s/he is having trouble breathing? Yes No
- Does this student need help to take asthma medication? Yes No
- Does this student use a mask with a spacer? Yes No
- *Does this student need a blue/grey reliever puffer medication before exercise? Yes No

MEDICATION PLAN

If this student needs asthma medication, please detail below and make sure the medication and spacer/mask are supplied to staff.

NAME OF MEDICATION AND COLOUR	DOSE/NUMBER OF PUFFS	TIME REQUIRED

DOCTOR
Name of doctor _____

Address _____

Phone _____

Signature _____ Date _____

PARENT/GUARDIAN
I have read, understood and agreed with this care plan and any attachments listed. I approve the release of this information to staff and emergency medical personnel. I will notify the staff in writing if there are any changes to these instructions. I understand staff will seek emergency medical help as needed and that I am responsible for payment of any emergency medical costs.

Signature _____ Date _____

Name _____

EMERGENCY CONTACT INFORMATION
Contact name _____

Phone _____

Mobile _____

Email _____

For asthma information and support or to speak with an Asthma Educator call **1800 ASTHMA** (1800 278 462) or visit asthma.org.au



ASTHMA FIRST AID

1



SIT THE PERSON UPRIGHT

- Be **calm** and reassuring
- **Do not leave** them alone

2



GIVE 4 SEPARATE PUFFS OF BLUE/ GREY RELIEVER PUFFER

- **Shake** puffer
 - Put **1 puff** into spacer
 - Take **4 breaths** from spacer
 - **Repeat** until **4 puffs** have been taken
- OR give 2 separate inhalations of Bricanyl (6 years or older)
OR give 1 inhalation of Symbicort Turbuhaler (12 years or older)
OR give 2 puffs of Symbicort Rapihaler through a spacer (12 years or older)
- If no spacer available:** Take 1 puff as you take 1 slow, deep breath and hold breath for as long as comfortable. Repeat until all puffs are given

3



WAIT 4 MINUTES

- If there is no improvement, **give 4 more separate puffs of blue/grey reliever** as above
- OR give 1 more inhalation of Bricanyl
OR give 1 more inhalation of Symbicort Turbuhaler
OR give 2 puffs of Symbicort Rapihaler through a spacer

IF THERE IS STILL NO IMPROVEMENT

4



DIAL TRIPLE ZERO (000)

- Say **'ambulance'** and that someone is having an asthma attack
 - Keep giving **4 separate puffs** every **4 minutes** until emergency assistance arrives
- OR give 1 inhalation of a Bricanyl or Symbicort Turbuhaler every 4 minutes – up to a max of 4 more inhalations of Symbicort Turbuhaler
OR give 2 puffs of Symbicort Rapihaler through a spacer every 4 minutes – up to a max of 8 more puffs of Symbicort Rapihaler

CALL EMERGENCY ASSISTANCE IMMEDIATELY AND DIAL TRIPLE ZERO (000) IF:

- the person is not breathing
- the person's asthma suddenly becomes worse or is not improving
- the person is having an asthma attack and a reliever is not available
- you are not sure if it is asthma
- **the person is known to have anaphylaxis – follow their Anaphylaxis Action Plan, then give Asthma First Aid**

Blue/grey reliever medication is unlikely to harm, even if the person does not have asthma.



Translating and Interpreting Service
131 450



ASTHMA AUSTRALIA

1800 ASTHMA
(1800 278 462)

asthma.org.au